

PATIENT EDUCATION GUIDE

Vasectomy: What to Expect

A urologist's guide to the procedure, recovery, and everything you'll want to know

Prepared by

Dr. Matthew S. Lief, MD, PA, FACS

Board-Certified Urologist • 35+ Years Experience • Coral Springs, Florida

Lief Urology

9750 N.W. 33rd Street, Suite 218, Coral Springs, FL 33065
(954) 755-3801 • liefurology.com

INSIDE THIS GUIDE

A Note Before You Begin

If you've already decided a vasectomy is the right move for your family — or you're just about to — this guide walks you through what actually happens, how the recovery really looks, what it costs, and how the comfort options at Lief Urology (local anesthesia, nitrous oxide, music headphones) take most of the anxiety out of the visit. It's written by a board-certified urologist who has performed thousands of vasectomies in Coral Springs over 35+ years.

The headline version

A vasectomy at Lief Urology is a 15-minute, in-office procedure under local anesthesia, with optional nitrous oxide and music headphones. Most men are back at a desk within 2 days, fully back to normal activity within 7. The procedure is over 99.9% effective and covered by most major insurance plans. Same-week consultations are typical; your procedure can follow immediately after.

Contents

- 1. What Is a Vasectomy?
- 2. The No-Scalpel Vasectomy Technique
- 3. Your Comfort During the Procedure
- 4. The 15-Minute Procedure, Step by Step
- 5. Your Recovery Timeline
- 6. Confirming It Worked — The Semen Analysis
- 7. Cost & Insurance Coverage
- 8. Myths vs. Facts
- 9. Frequently Asked Questions
- Schedule a Consultation

1. What Is a Vasectomy?

A vasectomy is a permanent form of male contraception. Each year, more than 500,000 men in the United States choose vasectomy as the simplest, safest, and most reliable form of birth control available. It is performed in-office in about 15 minutes, requires only local anesthesia, and produces no measurable change in hormones, libido, sexual performance, or ejaculation experience.

How a vasectomy works

The vas deferens are the two thin tubes that carry sperm from the testes to the urethra. A vasectomy interrupts these tubes — they are cut, sealed, and tucked back into place — so sperm can no longer reach the ejaculate. Sperm production in the testes continues normally; the body simply absorbs the small amount of sperm produced each day. Everything else about the male reproductive system stays exactly as it was.

Am I a good candidate?

Most men in good general health are candidates for a vasectomy. The most important qualifier is not medical — it's the decision itself. A vasectomy should be considered permanent. The best candidates are men who:

- Are certain they do not want to father children (or any additional children) in the future
- Have discussed the decision thoroughly with their partner, if applicable, and reached agreement
- Have completed their family planning, regardless of life stage — vasectomy is appropriate for men in their 20s through their 60s and beyond, provided the decision is firm
- Understand that reversal is technically possible but is a complex, expensive surgery with declining success over time

There's no judgment about your age or family status

Dr. Lief sees vasectomy patients across every life stage — married men with completed families, single men who have decided not to have children, and men in committed partnerships who have chosen permanent contraception together. The conversation about permanence is the same in every case; the answer is yours to give.

2. The No-Scalpel Vasectomy Technique

Modern vasectomy is performed using the no-scalpel technique, a refinement that has become the standard of care in experienced urology practices. Dr. Lief uses this technique on every vasectomy at Lief Urology.

Traditional vasectomy vs. no-scalpel vasectomy

Traditional vasectomy uses a scalpel to make one or two small incisions in the scrotum to access the vas deferens; the incisions are then closed with sutures. The no-scalpel technique replaces the scalpel with a specialized instrument that makes a tiny puncture instead. The vas deferens are gently brought through the puncture, sealed and divided, and tucked back in. The opening is so small it heals on its own — no stitches needed.

Why the no-scalpel approach is better

- Less tissue disruption — a tiny puncture rather than an incision means less bleeding and less swelling
- No stitches — the opening closes naturally; nothing to remove later
- Faster recovery — most men return to desk work within 2 days
- Lower complication rate — published studies show fewer infections, bruising, and hematomas than traditional technique
- Identical effectiveness — over 99.9% successful contraception, the same as traditional vasectomy

What you'll feel

Most patients describe the sensation during a no-scalpel vasectomy as pressure or mild tugging — not pain. The local anesthesia fully numbs the area before any part of the procedure begins. Patients who choose the additional comfort options (see Section 3) often describe the experience as easier than going to the dentist.

3. Your Comfort During the Procedure

The single biggest source of anxiety for men considering a vasectomy is the procedure itself — specifically, the worry that it will be uncomfortable. Modern technique already makes that fear largely outdated. The comfort options at Lief Urology remove what's left.

Local anesthesia — the foundation

Every vasectomy at Lief Urology begins with local anesthesia applied to the scrotum and vas deferens. The area is fully numb before any part of the procedure starts. Local anesthesia alone is all most patients need.

Nitrous oxide — optional, on-demand

For patients who would prefer to be more relaxed, inhaled nitrous oxide is available during the procedure. Nitrous oxide takes the edge off without putting you to sleep — you stay awake and able to talk, but you feel calmer and the few minutes pass more easily. It clears from your

system within minutes after the mask comes off, and it does not require fasting or a recovery period beyond what you'd already need for the vasectomy itself.

Music headphones — your soundtrack, your room

Bring your own playlist. Most patients close their eyes, put on their headphones, and tune the room out completely. A favorite album, a podcast, a comedy special, an audiobook — whatever puts you in your happy place. The procedure ends before most playlists do.

You choose the combination

All three options are available; none are required. Most men choose local anesthesia plus music headphones. A smaller group adds nitrous oxide. A few prefer just the local. Dr. Lief and the team will walk through the options at your consultation so you can decide what fits you.

4. The 15-Minute Procedure, Step by Step

From the moment you arrive at the Lief Urology office to the moment you walk out, your vasectomy visit typically takes about an hour. The procedure itself is closer to 15 minutes.

Step 1 — Arrival and check-in

Arrive at 9750 N.W. 33rd Street, Suite 218 in Coral Springs. Wear loose-fitting, comfortable clothing — gym shorts are ideal. Eat normally before the visit; no fasting is required.

Step 2 — Review and preparation

Dr. Lief or a member of the team reviews your medical history, answers any last questions, and confirms which comfort options (nitrous oxide, music headphones) you'd like. You'll change into a gown and get settled in a private procedure room.

Step 3 — Local anesthesia

Dr. Lief applies local anesthesia. Within a few minutes the area is fully numb. If you've chosen nitrous oxide, the mask goes on now. If you brought headphones, this is when they go on too.

Step 4 — The procedure itself

Using the no-scalpel technique, Dr. Lief makes a small puncture, gently brings each vas deferens through the opening, seals and divides them, and tucks them back in. Most patients feel pressure or mild tugging — not pain. The whole procedure takes about 15 minutes from start to finish.

Step 5 — Aftercare instructions and discharge

The team provides detailed aftercare instructions in writing — ice schedule, activity restrictions, pain medication guidance, and what to watch for. Most patients walk out of the office within 15 minutes of the procedure ending and are home with their feet up shortly afterward.

5. Your Recovery Timeline

Recovery from a no-scalpel vasectomy is usually straightforward. The first 48 hours matter most: rest, ice, and avoid strenuous activity. By the end of the first week, most men are essentially back to normal — with one important exception (see Section 6).

Time Frame	What's Happening
Days 1-2	Rest with feet elevated. Apply ice 20 minutes on / 20 minutes off. Wear supportive underwear. Manage any mild discomfort with acetaminophen or ibuprofen.
Days 3-5	Most men feel significantly better. Light activity around the house is fine. Avoid heavy lifting, running, or vigorous exercise.
Days 5-7	Most patients return to desk work and normal daily routines. Light exercise (walking) can resume. Strenuous activity should wait until you feel fully comfortable.
After Day 7	Sexual activity can generally resume. CONTINUE USING BACKUP CONTRACEPTION until the 12-week semen analysis confirms no sperm.
Week 12+	After at least 20 ejaculations, provide a semen sample. Dr. Lief reviews the result and clears you to discontinue backup contraception once azoospermia is confirmed.

When to call the office

Mild swelling, bruising, and discomfort are all normal in the first few days. Call the office at (954) 755-3801 if you develop fever, significant swelling that's worsening rather than improving, severe pain that isn't controlled by over-the-counter medication, or any sign of infection. These complications are uncommon — but the team would rather hear from you.

6. Confirming It Worked — The Semen Analysis

This is the part of a vasectomy that men's clinics and pop-up vasectomy events sometimes skip — and it's the part that matters most for making sure your vasectomy actually works.

Why you're not sterile right away

A vasectomy interrupts the vas deferens, but viable sperm can remain in the tubing downstream of the cut for weeks after the procedure. Until those sperm are cleared, pregnancy is still possible. This is why every patient at Lief Urology is instructed to continue using backup contraception after a vasectomy — until a semen analysis confirms otherwise.

The 12-week semen analysis

Approximately 12 weeks after your vasectomy, and after at least 20 ejaculations, you'll provide a semen sample for analysis. The lab examines the sample under a microscope and confirms that no sperm are present — a state called azoospermia. Dr. Lief personally reviews the result before clearing you to discontinue backup contraception.

How effective is a vasectomy?

Over 99.9% effective — the most reliable form of permanent contraception available for men. Failure rates are approximately 1 in 2,000 procedures when performed correctly by an experienced urologist, almost always due to recanalization (rare spontaneous reconnection of the vas deferens). The 12-week semen analysis is what catches the small number of cases that don't fully clear, before they become a pregnancy.

The single most common reason vasectomies fail

Not technique — TIMING. Men who stop using backup contraception before getting their semen analysis confirmation account for the vast majority of post-vasectomy pregnancies. Wait for the lab result. It's worth it.

7. Cost & Insurance Coverage

Vasectomy is one of the most affordable forms of permanent contraception available — particularly compared to the alternatives. A female tubal ligation, for instance, is a more involved surgical procedure that typically costs several thousand dollars and requires general anesthesia.

With insurance

Most major insurance plans cover vasectomy procedures, either fully or with a standard specialist copay. Many plans treat vasectomy as preventive care, which can reduce or eliminate your out-of-pocket cost entirely. Lief Urology accepts Medicare and most major commercial insurance plans. The team verifies your specific coverage and out-of-pocket cost before you schedule, so there are no surprises.

Without insurance (self-pay)

For self-pay patients in the Coral Springs area, a vasectomy typically falls in the \$500 to \$1,000 range — including the consultation, the procedure itself, and the follow-up semen analysis. There are no hospital facility fees, no anesthesiology fees, and no operating room charges because the entire procedure is performed in the Lief Urology office under local anesthesia.

Compared to the alternatives

Vasectomy is materially cheaper, safer, and less invasive than tubal ligation. It is also dramatically cheaper than years of ongoing contraception. Several years of birth-control pills, IUD replacements, or other long-acting reversible contraception will typically cost more than a one-time vasectomy.

8. Myths vs. Facts

Vasectomy comes with more old wives' tales than almost any procedure in urology. Here's what's actually true, drawn from modern urological evidence and the American Urological Association's clinical guidance.

Myth	Fact
Vasectomy lowers testosterone.	Vasectomy has no effect on testosterone production. The vas deferens carries only sperm — the testes keep producing testosterone exactly as before.
Vasectomy affects erections, orgasm, or pleasure.	Vasectomy has no effect on erections, libido, orgasm, or the experience of sex. The only change is that sperm is no longer in the ejaculate — which looks, feels, and behaves identically.
Vasectomy increases prostate cancer risk.	Multiple large-scale studies have found no causal link between vasectomy and prostate cancer. Earlier concerns were thoroughly investigated and dismissed by the American Urological Association.

Myth	Fact
The procedure is painful.	Local anesthesia numbs the area completely. Most patients describe feeling pressure or mild tugging — not pain. Nitrous oxide and music headphones make it easier still.
You're sterile immediately afterward.	Vasectomy does not provide immediate sterility. Backup contraception is required until the 12-week semen analysis confirms no sperm.
Vasectomy is easily reversed if you change your mind.	Reversal is technically possible but a complex surgery under general anesthesia, typically not insurance-covered, and with success rates that drop over time. Treat vasectomy as permanent.

9. Frequently Asked Questions

Q. How long does the procedure take?

A. About 15 minutes from first incision to last suture-free closure. Including check-in, anesthesia, and aftercare instructions, plan for roughly an hour at the office.

Q. Will it hurt?

A. Local anesthesia numbs the area completely. Most men describe the procedure as feeling like pressure or mild tugging — not pain. Nitrous oxide and music headphones, available on request, make it easier still.

Q. When can I return to work?

A. Most men return to desk work in 2 days. Jobs that involve heavy lifting or vigorous physical activity usually require closer to a week before returning fully.

Q. When can I have sex again?

A. After 7 days. Continue using backup contraception until your 12-week semen analysis confirms no sperm.

Q. Will it affect my testosterone or sex drive?

A. No. Vasectomy has no effect on testosterone production, libido, erections, orgasm, or sexual pleasure. The vas deferens carries only sperm — the testes continue producing testosterone exactly as before.

Q. What's the failure rate?

A. Over 99.9% effective. Failures occur in roughly 1 in 2,000 procedures when performed by an experienced urologist, almost always due to rare recanalization of the vas deferens. The 12-week semen analysis is the safeguard.

Q. Can a vasectomy be reversed?

A. Reversal (vasovasostomy) is technically possible but is a complex surgery performed under general anesthesia. Success rates decline with time since the original vasectomy, and reversals are typically not insurance-covered. Vasectomy should always be considered permanent.

Q. Does insurance cover the procedure?

A. Most major insurance plans cover vasectomy. Many plans treat it as preventive care, reducing or eliminating out-of-pocket cost. Lief Urology accepts Medicare and most commercial plans, and verifies your specific coverage before scheduling.

Q. Does vasectomy cause prostate cancer?

A. No. Multiple large-scale studies have found no causal link between vasectomy and prostate cancer. The American Urological Association considers this a settled question.

Schedule a Consultation

If anything in this guide describes your experience, the next step is straightforward: a confidential, comprehensive consultation with Dr. Lief. The office accepts Medicare and most major insurance plans.

Lief Urology — Coral Springs, FL

9750 N.W. 33rd Street, Suite 218, Coral Springs, FL 33065 Phone: (954) 755-3801 •
Online: liefurology.com Board-certified urologist • 35+ years in Coral Springs • Bilingual
English / Spanish

Medical disclaimer. This guide is provided for general educational purposes only and does not replace personalized medical advice from a licensed physician. Symptoms, lab values, and treatment decisions vary from patient to patient. If you suspect you have a condition described in this guide, schedule an in-person evaluation with a qualified medical provider. © Lief Urology, 9750 N.W. 33rd Street, Suite 218, Coral Springs, FL 33065. All rights reserved.